

Datasheet



Mouse mAb to **CD90**
Clone **EBS-CD-043**
Isotype **IgG1-κ**

Source

A BALB/c mouse was immunized with purified human brain Thy-1.
Fusion partner: NS-1.

Specifications

CD90 (Thy-1) is an 18-35 kDa GPI-anchored glycoprotein and a member of the immunoglobulin superfamily. It may contribute to inhibition of proliferation/differentiation of hematopoietic stem cells and neuron memory formation in the CNS. It consists of a single Ig domain (112 amino acids; 25-35 kDa) inserted into the cell membrane via a GPI-anchor. Expressed by hematopoietic stem cells and neurons in all species studied. Its highly expressed in connective tissue and various fibroblast and stromal cell lines, expressed on all thymocytes and peripheral T-cell in mice, but in humans expressed only on small % fetal thymocytes, 10-40% of CD34⁺ cells in bone marrow, and <1% of lymph node HEV endothelium but not on other endothelia. Lastly, it is expressed by a limited number of lymphoblastoid and leukemic cell lines.




Figure 1: HUT78 T cells stained with EBS-CD-043 (FACS).

Species reactivity

Positive: human, monkey.

Applications

CD90 mAbs are very useful for identifying CD34⁺ hematopoietic precursor cells. CD34⁺ and CD90⁺ cells include hematopoietic stem cells that can serve as autologous grafts to replace the bone marrow in patients with malignancies.

| Flow cytometry | Frozen sections | Immunofluorescence |
|----------------|-----------------|--------------------|
| + | + | + |

Format

Produced in tissue culture, contains no host Ig. Antibodies are affinity purified and presented in PBS with 0,02% sodium azide.

Stored at 4°C-8°C, shelf life is at least 24 months after purchase.

Dilution advice

- Flow cytometry (0,5-1,0 µg/million cells in 0,1 ml).
- Immunofluorescence (0,5-1,0 µg/ml).
- Immunohistology (1-2 µg/ml for 30-60 min at RT; for staining of formalin-fixed tissues no suitable antigen retrieval method is known to date).

Positive control

IMR-32, CCRF-CEM or MOLT-4 cells. Human uterus.

Datasheet



References

- Cervelló I et al. *PLoS One* **6**: e21221 (2011).
- Lehmann GM et al. *Am J Physiol Cell Physiol* **299**: C672-81 (2010).